SELVAGE SPIDER WEB

QUILT

Follow along with our FREE tutorial HOW TO MAKE A Selvage Spider Web Quilt

featured on our YouTube channel:



YouTube.com/ShabbyFabrics



REQUIRES: Creative Grids Spider Web Quilt Ruler #CGRKA6

	Wall Hanging	Lap Size	Queen Size
Finished Size	29½" × 29½"	58½" × 58½"	87½" × 102"
Total Blocks	4	16	42
Total Kites	8	32	84
Total Triangles	16	64	168
Total Selvages	varies*	varies*	varies*
Fusible Interfacing★	1 yard	4 yards	10½" yards
Background Fabric	½ yard	1% yards	4 yards
Binding	⅓ yard	½ yard	7∕8 yard
Backing	1 yard	3¾ yards	8 yards ►

- * Each triangle will require about 40-45" selvage strips of varying widths. Some will require more, some will require less.
- ★ Instructions were written for Pellon F950 ShirTailor Fusible Interfacing, available at Shabby Fabrics.com.
- ► If using 108" wide backing = 2¾ yards for Queen Size

CUT INTERFACING TRIANGLES.....

Cut fusible interfacing *down the length* into 10" strips. Using the Creative Grids Spider Web Quilt Ruler, align the 10" solid black line with the edge of the interfacing strip and cut triangle. Repeat to make the necessary number of **triangles**.





FUSE SELVAGE STRIPS TO TRIANGLES.


Starting from the tip of the fusible interfacing triangle and working down, fuse selvage strips to the triangles.

Overlap each strip by about 1/4".

PRO TIPS: Use a wider strip at the tip to avoid unnecessary bulk at intersections. Place the first strip with the cut edge towards the tip, but all subsequent strips with selvage toward the tip.








Topstitch each selvage strip to further secure it to the interfacing, using a straight stitch or small zig zag as preferred. Repeat to make the necessary number of triangles.


Trim Triangles.....

With fusible side up, use Creative Grids Spider Web Ruler to trim triangle. Due to ironing and stitching, the interfacing may be smaller than when it was originally cut. Align the 10" solid black line with the bottom edge of the interfacing, and cut triangle sides along the ruler.

IMPORTANT: Remember to trim the tip and base of triangle as well!

Repeat for all triangles.







MAKE KITES....

Cut background fabric into $8" \times 8"$ squares, cutting (1) square for each **kite** needed for your project size.

With fabric right side up, use Creative Grids Spider Web Ruler to cut kites. Align the 8" white dashed lines (shown here in cyan) with the corner of the square, and trim along triangle sides. (Trimmed corners can be added to your stash.)

Repeat to make the necessary number of kites.






Assemble Block_____


Each block is made using (4) triangles and (2) kites. All seams are $\frac{1}{4}$ ".

STEP 1: Layer (2) triangles, right sides together, and sew together along one long edge.

STEP 2: Press open.

STEP 3: Sew a kite to the left side of the





two-triangle unit, noting the offset for the seam (see expanded image in red circle).

STEP 4: Press toward kite. Trim kite point.


STEP 5: Repeat Steps 1-4 to make a second unit.

STEP 6: Layer (2) units, right sides together, and **carefully** match seams in the center. Pin well. Sew together.

STEP 7: Press open.

Block should measure 15" × 15".

Repeat to make the necessary number of blocks.



Assemble Quilt_____

Refer to diagram (right) to arrange blocks.

For **Wall Hanging**, arrange (4) blocks in (2) rows of (2).

For Lap Size, arrange (16) blocks in (4) rows of (4).

For Queen Size, arrange (42) blocks in (7) rows of (6).

Sew together in rows. Press open.

Sew rows together. Press open.

FINISH QUILT.....

Layer top, batting, and backing. Quilt as desired.

For **Wall Hanging**, cut (4) $2\frac{1}{2}$ " × WOF strips for binding.

For Lap Size, cut (7) 2½" × WOF strips for binding.

For Queen Size, cut (11) 21/2" × WOF strips for binding.

Piece **binding** into one long strip. Fold in half lengthwise, wrong sides together, and press. Line up raw edges of the binding with the raw edge of the quilt. Sew binding to the front side of the quilt, starting at any side. Turn the binding over and machine stitch or hand sew to the back of the quilt.

